

Dual detector fit update + DQM

Rui Chen





Last time

- Last time I have shown the first sensitivity with fully correlated systematics.
- The fit seems working now.






Introduction

 Several plots are made with different systematics uncertainty error band.






Comparison between dual detector fits & F/N + ND fit








Compare it with F/N framework








Dual detector fit with different MCs








Comparison with fully uncorrelated systematics







Reminder: Limits from F/N + ND fit







Systematic uncertainties

 As part of the tasks, I am trying to work out the correct correlation for Decay pipe systematic.
Once we have all the systematic uncertainty we should be able to produce an accuracy limits with this dual detector framework.






DQM checking

- As many of you know, we found the mis-alignment of the horn 1 recently, and Jim's hope us can tell when this happens
- A suggestion from Karol is to looking at the high energy tail of the energy spectrum. Julia (NoVA) confirmed this behaviour as well.






This Plot on DQM site is no longer valid








Batch 5 event energy / average








Batch 5 from 7 - 13 GeV








Batch 5 from 9-13 GeV








Batch 4








Batch4 7-13 GeV







Batch4 9-13 GeV








Spotsize


Neutrino Events Per POT v.s. Time (E ___< 8 GeV)







Intensity







Did we see a step function?

- Yes, the beam spot size has changed during this period. But the Nov-Jan 2016 is similar with last month of RunXII.
- There is also an intensity effects. But the effects of RXIII should be similar with RXII last few month which is inconsistent.






Back up



MANCHESTER





MANCHESTER 1824

le010z185i FD CC events/10²⁰POT/kt class vs E(nu)

